

I claim:

1 ~~Sub A1~~ 1. An apparatus for cleaning and polishing products, including vegetables and fruits, said  
2 apparatus comprising:

- 3 an elongated outer bag having at least one opening,  
4 an inner liner within said outer bag, said inner liner having a thickness within the range of  
5 0.005 to 0.1 inches,  
6 and means for closing and securing said opening.

1 2. The apparatus of claim 1 wherein said inner liner is removable from said outer bag.

1 ~~N~~ 3. The apparatus of claim 1 wherein said inner liner is permanently fixed to the interior of  
2 said outer bag.

1 4. The apparatus of claim 1 wherein said inner liner has a thickness within the range of 0.01  
2 to 0.1 inches.

1 5. The apparatus of claim 1 wherein said inner liner has a thickness within the range of 0.025  
2 to 0.75 inches.

1 ~~Sub A2~~ 6. The apparatus of claim 1 wherein said material has printed material or graphics on a  
2 surface thereof.

1 7. The apparatus of claim 1 wherein a single layer of said outer bag and a single layer of said  
2 inner liner have a combined thickness, said thickness being within the range of 0.01 to 0.1  
3 inches.

1 8. The apparatus of claim 7 wherein said thickness is in the range of 0.025 to 0.075 inches.

1 9. The apparatus of claim 1 further comprising at least one viewing port, thereby allowing a  
2 user to view the product being cleaned.

Sub A3 10. An apparatus for cleaning and polishing products, including vegetables and fruits, said apparatus comprising:

an elongated outer bag having at least one opening,  
an inner liner within said outer bag, said inner liner being removable from said outer bag,  
and means for closing and securing said opening.

11. The apparatus of claim 10 wherein said inner liner has a releasable adhesive patch on a surface thereof.

12. The apparatus of claim 11 further comprising a protective cover removably covering said adhesive patch.

13. The apparatus of claim 10 wherein said inner liner has a thickness within the range of 0.01 to 0.1 inches.

14. The apparatus of claim 10 wherein said inner liner has a thickness within the range of 0.025 to 0.75 inches.

Sub A4 15. The apparatus of claim 10 wherein a single layer of said outer bag and a single layer of said inner liner have a combined thickness, said thickness being within the range of 0.01 to 0.1 inches.

16. The apparatus of claim 15 wherein said thickness is in the range of 0.025 to 0.075 inches.

17. The apparatus of claim 10 wherein said inner liner has at least one viewing port.

18. The apparatus of claim 10 wherein said inner liner is formed of a folded sheet of material.

1 19. The apparatus of claim 10 wherein said outer bag is formed of a plastic film.

1 20. The apparatus of claim 19 wherein said inner liner has printed material or graphics on a  
2 surface thereof.

1 21. The apparatus of claim 3 wherein said closing means is a plurality of interlocking  
2 projections forming a water-tight barrier.

1 22. The apparatus of claim 3 wherein said inner liner has sufficient stiffness to maintain its  
2 shape within said outer bag.

1 ~~23. A removable inner liner for an apparatus for cleaning and polishing products, including~~  
2 ~~vegetables and fruits, said inner liner comprising:~~  
3 ~~at least one sheet of material having a thickness within the range of .005 to 0.1 inches.~~

1 24. The removable liner of claim 23 further comprising an adhesive patch located on a  
2 surface of said sheet of material.

1 25. The removable liner of claim 23 further comprising at least one viewing port extending  
2 through said sheet of material.

1 26. The apparatus of claim 23 wherein said inner liner has a thickness within the range of  
2 0.01 to 0.1 inches.

1 27. The apparatus of claim 23 wherein said inner liner has a thickness within the range of  
2 0.025 to 0.75 inches.